



Your Wellness. Our Passion.

SAFETY DATA SHEET

Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION


Identity	CASINO SANITIZER
Company Name	International Pharmaceuticals, Inc.
Company Address	B. Suico St., Tingub, Mandaue City, Cebu 6014 Philippines
Telephone Number	+63 32 412-6900 / +63 32 260-6910
Intended Use	For cleansing, disinfecting and general antiseptic use

Section 2. HAZARD(S) IDENTIFICATION

GHS Classification

Flammable liquids	Category 2
Eye irritation	Category 2B
Skin Irritation	Category 3

GHS Label Element

Hazard Pictogram(s)	
Signal Word(s)	Warning
Hazard Statement(s)	Flammable liquid and vapor (H226) Causes eye irritation (H320) Causes mild skin irritation (H316) Harmful if swallowed (H302)
Precautionary Statement(s)	<p>Prevention</p> Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. (P210) Keep container tightly closed. (P233) Ground/bound container and receiving equipment. (P240) Use explosion-proof electrical, ventilating, lightning equipment. (P241) Use only non-sparking tools. (P242) Take precautionary measures against static discharge. (P243) Wear protective gloves/protective clothing/eye protection/face protection. (P280) Wash thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+351+338) If eye irritation persists: Get medical advice or attention. (P337+313) In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. (P370+380) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin water/shower. (P303+P361+P353) If SKIN irritation occurs: Get medical advice/attention. (P332+313)



INTERNATIONAL PHARMACEUTICALS, INC.

B. Suico St., Tingub, Mandaue City 6014

Trunklines: GLOBE: (032) 420-6900 PLDT: (032) 260-6910 Website: www.ipi.ph Email: inquiry@ipi.ph

Your Wellness. Our Passion.

Rinse mouth. (P330)
If swallowed, call a poison center/doctor if you feel unwell.
(P301+P312)

Storage Store in a well-ventilated place. Keep cool. (P403+235)
Disposal Dispose of contents/container to an approved waste disposal plant. (P501)
Other hazards None known.

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Identity Mixture

Ingredients	CAS Number	EC Number	Concentration
Ethanol / Ethyl Alcohol	64-17-5	200-578-6	62-68 % v/v
* Other Non-Hazardous Ingredients	N/A	N/A	<1%

In accordance with the paragraph (i) of Sec. 1910.1200, the specific chemical identity and/or exact percentage (concentration) of mixture has been withheld as a trade secret.

* Unidentified ingredients are not considered hazardous under the Federal Hazard Communication Standard (28 CFR Sec. 1910.1200)

Section 4. FIRST AID MEASURES

Necessary first-aid measures

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Skin Contact If irritation occurs, discontinue use. Rinse irritated area with water. If irritation persists, get medical attention.
Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Ingestion Wash mouth with water. Remove dentures, if present. DO NOT induce vomiting. Seek medical attention immediately if symptoms occur.

Most important symptoms / effects, both acute and delayed No information available.

Note(s) to physician Treat symptomatically.

Section 5. FIRE FIGHTING MEASURES

Suitable extinguishing media Water spray. Alcohol-resistant foam. Carbon dioxide.

Unsuitable extinguishing media Solid water jet

Specific hazards arising from the chemical Fire Hazard.
Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Hazardous combustion products Carbon oxides



Your Wellness. Our Passion.

Special protective actions for fire-fighters
Specific extinguishing methods

Wear appropriate personal protective equipment, including self- containing breathing apparatus.
Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Non-emergency personnel Wear appropriate Personal Protective Equipment (i.e. goggles, gloves.) before cleaning any spill or leaks. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal.

Emergency responders Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Deny entry to all unprotected personnel and unauthorized personnel. Maximize ventilation (open doors and windows).

Environmental precautions

Keep spills and runoffs out of nearby sewers and bodies of water.

Methods and materials for containment and cleaning up

Eliminate all sources of ignition. Ground all equipment, do not walk through spill. Take precautions to prevent entry into waterways, sewers, surface drainage systems, basements or confined areas. Stop leak if without risk. Absorb with dry earth or other non-combustible material. Collect material using non-sparking tools and place in a suitable, properly labeled container for recovery or disposal according to local regulations.

Section 7. HANDLING AND STORAGE

Precautions for safe handling

Keep away from heat and sources of ignition. Keep container tightly closed and upright when not in use. Use with adequate ventilation. Keep away from incompatibles. Avoid contact with eyes. Do not swallow.

Conditions for safe storage

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat and sources of ignition. Keep container tightly closed. Store in a well-ventilated place at temperatures not exceeding 30 °C. Keep out of reach of children.

Materials to avoid

No data available.

**Your Wellness. Our Passion.****Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters**

If a component is disclosed in Section 3. (Composition/Information on Ingredients) but does not appear in the table below, an occupational exposure limit or recorded limit is not available for the component.

Chemical Name	Exposure Limits	
	OSHA [A]	NIOSH [B]
Ethanol	<ul style="list-style-type: none"> • PEL-TWA: 1000 ppm (1900mg/m³) 	<ul style="list-style-type: none"> • REL-TWA: 1000 ppm(1900mg/m³)

[A] Occupational Safety and Health Administration (OSHA)

[B] The National Institute of Occupational Safety and Health (NIOSH)

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Eye / face protection

No special protective equipment required.

Hand protection

No special protective equipment required.

Skin / body protection

No special protective equipment required.

Respiratory protection

No personal respiratory protective equipment normally required. When ventilation is inadequate or at high vapor concentrations, wear appropriate respirator.

Thermal hazards

No special protective equipment required.

Hygiene measures

General industrial hygiene practice.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Colorless to slightly yellowish, clear to slightly hazy liquid.
Odor	Characteristic
Odor threshold	No data available.
pH	5.0 – 7.0
Melting point / freezing point	No data available.
Initial boiling point and boiling range	78.5°C (for Ethanol)
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper / lower flammability or explosive limits	Lower: 3.3% by volume Upper: 19% by volume
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	0.850-0.950
Solubility(ies)	Soluble in water.
Partition coefficient (n-octanol / water)	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.



Your Wellness. Our Passion.

Section 10. STABILITY AND REACTIVITY

Reactivity	Stable under recommended storage conditions.
Chemical stability	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	No hazards to be specially mentioned.
Conditions to avoid	Heat, flames, sparks and ignition sources.
Incompatible materials	Strong oxidizing agents; strong acids and bases; moisture
Hazardous decomposition products	Carbon dioxide, Carbon monoxide, may release flammable vapors

Section 11. TOXICOLOGICAL INFORMATION

This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.

Information of the likely routes of exposure	Inhalation, eye contact, skin contact, Ingestion	
Potential health effects		
Inhalation	Health injuries are not known or expected under normal use.	
Skin contact	May cause skin irritation.	
Ingestion	Health injuries are not known or expected under normal use.	
Eye contact	Health injuries are not known or expected under normal use.	
Experience with human exposure		
Inhalation	No symptoms known or expected.	
Skin contact	May cause irritation.	
Ingestion	Harmful effects when ingested.	
Eye contact	Redness, pain, irritation	
Acute toxicity		
<u>Product</u>	Oral toxicity	No data available
	Inhalation toxicity	No data available
	Dermal toxicity	No data available
<u>Ingredient(s)</u>	<ul style="list-style-type: none"> • Ethanol Oral toxicity LD₅₀ (mouse): 10740 mg/kg Dermal toxicity LD₅₀(rabbit): >16000 mg/kg 	
Skin corrosion / irritation		
<u>Product</u>	May cause minimal skin irritation	
<u>Ingredient(s)</u>	<ul style="list-style-type: none"> • Ethanol Species Rabbit Exposure time 24 hours Result Moderate skin irritation 	
Serious eye damage / irritation		
<u>Product</u>	Causes eye irritation.	
<u>Ingredient(s)</u>	<ul style="list-style-type: none"> • Ethanol Species Rabbit Exposure time 4 seconds Result Moderate eye irritation 	
Respiratory or skin sensitization		
<u>Product</u>	No data available.	



Your Wellness. Our Passion.

Product No data available.
Ingredient(s) • **Ethanol**
Low potential for bioaccumulation.

Mobility in soil

Product No data available.
Ingredient(s) • **Ethanol**
Highly mobile in soil

Other adverse effects

Product No data available.
Ingredient(s) No data available

Section 13. DISPOSAL CONSIDERATIONS

Disposal Methods The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose in accordance with all local and national regulations.

Section 14. TRANSPORT INFORMATION

Transport labeling: The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN Number UN 1170
UN proper shipping name Ethanol Solution
Transport hazard class(es) 3
Packing group II
Environmental hazard Not classified.

Sea transport

UN Number UN 1170.
UN proper shipping name Ethanol Solution
Transport hazard class(es) 3
Packing group II
Environmental hazard Not classified.

Air transport

UN Number UN 1170
UN proper shipping name Ethanol Solution
Transport hazard class(es) 3
Packing group II
Environmental hazard Not classified.

Section 15. REGULATORY INFORMATION

No data available.



Your Wellness. Our Passion.

Section 16. OTHER INFORMATION

Further Information

Abbreviations:

PEL – Permissible Exposure Limit


TWA - Time Weighted Average

PEL-TWA – Permissible Exposure Limit – 8-hour Time Weighted Average


CAPEL-TWA – California Permissible Exposure Limit – Time Weighted Average

IDLH – Immediately Dangerous to Life or Health

NFPA



HMIS



Data

Publicly available information.

Issued Date

15 October 2020

Prepared by

Product Research and Development Department
International Pharmaceuticals Inc.
LRU/JBM

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.